

Cans (375mL)	Small Bottles (375mL)	Large Bottles (750mL)	Small Glass (60mL)	Medium Glass (120mL)	Large Glass (180mL)	Other size. Please write the type of container and the volume in mls. If unsure please estimate to the best of your ability.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Q24b To recap, the table below shows what you have indicated that you drank **on this last occasion you were drinking alcohol**.

Here a drinking occasion refers to a single session of drinking. This might include a drink at home at the end of the day or over dinner, or at a specific event, such as a party or a 'Friday night out'.

On this last drinking occasion is it correct that you drank the following amounts of each alcohol type or would you like to make a change to any of these amounts:

(Please record an answer on every line)

	Correct	Change
<input type="checkbox"/> Beer Can (375-440mL) of regular strength beer	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Small Wine Glass (120mL) of Cask Wine	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Pre-Mixed Spirit Bottle (Approx,300mL) of Pre-mixed Spirits in Bottle	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Mini Spirit Bottle (50mL)	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Small Glass (60mL) of fortified wine	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Small Beer Glass (210mL) of Bottled Cider	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Cocktail	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Glass of home prepared mixes	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Small Bottle (250mL) of Coolers	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Very Small Bottle (250mL) of Alcoholic Soda	<input type="radio"/>	<input type="radio"/>

[FOR COCKTAILS AND HOME PREPARED MIXES, PLEASE ADD 'If you did not consume any of this type of alcohol on this last occasion you were drinking alcohol, please enter '0' in the box provided.' AS INSTRUCTION FOLLOWING CONSUMPTION QUESTION. ALSO INCLUDE THIS SENTENCE IN THE ERROR MESSAGE IF PARTICIPANT DOES NOT ENTER ANYTHING. FOR OTHER CORRECTIONS, PLEASE ADD 'If you did not consume any of this type of alcohol on this last occasion you were drinking alcohol, please enter '0' in any of the boxes provided.' AS INSTRUCTION FOLLOWING CONSUMPTION QUESTION. ALSO INCLUDE THIS SENTENCE IN THE ERROR MESSAGE IF PARTICIPANT DOES NOT ENTER ANYTHING.]

Q25a **On this last occasion you were drinking alcohol**, was this amount...

1. Less than you usually drink
2. The same as you usually drink
3. More than you usually drink

[USING DATA FROM Q13 SHOW PARTICIPANTS HOW MANY STANDARD DRINKS THEY HAD ON THIS OCCASION, ALONG WITH:]

[DISPLAY WITH Q27] On the last occasion you had an alcoholic drink, from the information you've provided, you had [INSERT RESULT OF CALCULATION, ROUNDED TO NEAREST WHOLE NUMBER] standard drinks.

The following shows the number of standard drinks for different types of alcohol, for different sized containers. Please scroll down and ensure that you answer each question on this page before hitting the >> button. [PLEASE DISPLAY Q26a-Q26e ON ONE PAGE AS PER CURRENT LOGIC CHECK PAGE.]

The picture below shows, in bold, the number of "standard drinks" in some typical alcohol containers.



Q26a **In the last 3 months**, how often have you had **more than 15 standard drinks** in a single day? [ONLY INCLUDE FOLLOWING IN REALITY CHECK: (If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions)]

1. Not in the last 3 months
2. Less often than one day a month
3. About 1 day a month
4. 2-3 days a month
5. 1-2 days a week
6. 3-4 days a week
7. 5-6 days a week
8. Every day

Q26b **In the last 3 months**, how often have you had **11-15 standard drinks (but no more)** in a single day? [ONLY INCLUDE FOLLOWING IN REALITY CHECK: (If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions)]

1. Not in the last 3 months
2. Less often than one day a month

3. About 1 day a month
4. 2-3 days a month
5. 1-2 days a week
6. 3-4 days a week
7. 5-6 days a week
8. Every day

Q26c **In the last 3 months**, how often have you had **7-10 standard drinks (but no more)** in a single day? [ONLY INCLUDE FOLLOWING IN REALITY CHECK: (If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions)]

1. Not in the last 3 months
2. Less often than one day a month
3. About 1 day a month
4. 2-3 days a month
5. 1-2 days a week
6. 3-4 days a week
7. 5-6 days a week
8. Every day

Q26d **In the last 3 months**, how often have you had **5-6 standard drinks (but no more)** in a single day? [ONLY INCLUDE FOLLOWING IN REALITY CHECK: (If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions)]

1. Not in the last 3 months
2. Less often than one day a month
3. About 1 day a month
4. 2-3 days a month
5. 1-2 days a week
6. 3-4 days a week
7. 5-6 days a week
8. Every day

Q26e **In the last 3 months**, how often have you had **1-4 standard drinks (but no more)** in a single day? [ONLY INCLUDE FOLLOWING IN REALITY CHECK: (If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions)]

1. Not in the last 3 months
2. Less often than one day a month
3. About 1 day a month
4. 2-3 days a month
5. 1-2 days a week
6. 3-4 days a week
7. 5-6 days a week
8. Every day

[LOGIC CHECK FOR Q26a-Q26e: IF R8 IN ANY ONE QUESTION, THEN ONLY R1 SHOULD BE CHECKED IN ALL OTHERS. IF THIS IS NOT THE CASE, DISPLAY REPEAT OF QUESTIONS Q26a-Q26e ON ONE PAGE, PRECEDED BY THE FOLLOWING TEXT]

The combination of answers you have given is not possible. If you answer 'Every day' for one of the questions in this section, you must answer 'Not in the last three months' for the other questions in this section. Please review your answers carefully before hitting the next button.

Q27 (15-17 YEARS ONLY) On the last occasion you were drinking alcohol, where did you obtain your alcohol? (Please tick all that apply) [RANDOMISE]

1. Friend or acquaintance
2. Brother or sister
3. Parent
4. Other relative
5. Brother or sister of a friend
6. At a party
7. Taken from someone or somewhere without permission
8. Purchase it myself from retailer (e.g. bottle shop)
9. Purchased it myself and drank it at a licensed premises (e.g. pub, nightclub, restaurant)
10. Got stranger/someone not known to me to get it
11. Other

Q28 **In the last three months**, have you ever done each of the following? (Please record an answer on every line.). [REQUIRE A YES/NO FOR EACH CATEGORY]

RANDOMISE	YES	NO
Made sure you didn't get drunk when you went out.		
Deliberately alternated between alcoholic and non-alcoholic drinks.		
Made a point of eating before or while consuming alcohol.		
Refused an alcoholic drink you were offered.		
Only drunk low-alcohol drinks or non-alcoholic drinks (on a night out).		
Asked someone who has had too much alcohol to stop drinking.		
Drank to get drunk.		
Deliberately limited how much you drank.		
Switched to drinking more low-alcoholic drinks.		
Decided to just stop drinking alcohol altogether.		

Q29 And **in the next 3 months**, which of these things do you **intend doing** or **trying** to do at least once? This includes things you have already done which you intend to do again. (Please record an answer on every line)

[REQUIRE A YES/NO FOR EACH CATEGORY]

(Please record an answer on every line.)

RANDOMISE	YES	NO
Make sure you don't get drunk when you go out.		
Deliberately alternate between alcoholic and non-alcoholic drinks.		
Make a point of eating while or before consuming alcohol.		
Refuse an alcoholic drink you are offered.		
Only drink low-alcohol drinks or non-alcohol drinks (on a night out).		
Ask someone who has had too much alcohol to stop drinking.		

Drink to get drunk.		
Deliberately limit how much you drink.		
Switch to drinking more low-alcoholic drinks.		
Stop drinking altogether.		

Q30 Thinking about people your age, how much do you agree or disagree with the statement....

Randomise	Agree Strongly	Agree	Disagree	Disagree strongly
Drinking too much ruins a good night out.				
If you drink too much, you're more likely to do things that you may regret later.				
You become more aggressive when you're drunk.				
You are more likely to have unsafe sex if you've drunk too much.				
By getting drunk, you're likely to end up verbally abusing your friends or boyfriend/girlfriend.				
You are more likely to engage in sex you might regret if you've been drinking too much.				
You are more vulnerable to being physically hurt by others when you are drunk.				
By getting drunk, you make a fool of yourself in front of your friends or boyfriend/girlfriend.				
Getting drunk is mostly harmless fun for people my age.				
Drinking too much when you are out gets you into trouble or danger.				

Q31

RANDOMISE	Acceptable	Un-acceptable	Neither acceptable nor un-acceptable

If I got very drunk, my closest friends would think it was			
If I got very drunk, most girls or guys I'm attracted to would think it was			
If I got very drunk and my immediate family found out, they would think it was			

Q32 If you drank too much alcohol, how likely do you think it is that you would ... (Even if you're unsure or haven't drunk before, please think about how likely each of these things would be based on what you know about yourself and alcohol.)

RANDOMISE

	Very unlikely	Unlikely	Likely	Very likely
Become more violent and aggressive.				
Have sex that you later regret or wish you hadn't had.				
Forget where you were and what you did.				
Seriously hurt or injure yourself.				
Get into a serious argument.				
Get into trouble with the police.				
Be verbally abused or threatened.				
Be shoved, hit or assaulted.				
[IF FEMALE] Accidentally get pregnant. [IF MALE] Accidentally get someone pregnant.				
Do things that made me feel embarrassed or humiliated.				
Have a serious argument with my boyfriend/girlfriend.				
Catch an STD/STI through unprotected sex.				
Be photographed in an embarrassing situation.				

Q33 If you drank too much alcohol, how would you feel about each of these things, if they happened to you? [PRESENT IN SAME ORDER AS PREVIOUS QUESTION]

	1 - Not at all bad	2	3	4	5 - Very bad
Became more violent and aggressive.					
Had sex that you later regret or wish you hadn't had.					
Forgot where you were and what you did.					
Seriously hurt or injured yourself.					
Got into a serious argument.					
Got into trouble with the police.					
Were verbally abused or threatened.					
Were shoved, hit or assaulted.					
[IF FEMALE] Accidentally got pregnant [IF MALE] Accidentally got someone pregnant.					
Did things that made me feel embarrassed or humiliated.					
Had a serious argument with my boyfriend/girlfriend.					
Caught an STD/STI through unprotected sex.					
Be photographed in an embarrassing situation.					

Q34 How frequently in the last 3 months have you experienced any of the following...

RANDOMISE	NEVER	RARELY	SOMETIMES	OFTEN
Doing something after drinking too much that you regretted or later wished you hadn't done.				
Seen violence by someone who was drunk and aggressive.				
Been verbally abused or threatened by someone who was drunk.				

Been shoved, hit or assaulted by someone who was drunk.				
Been aggressive or violent to others after drinking too much.				
Receiving unwanted sexual advances by someone who was drunk.				
Having to look after or "baby sit" friends who have had too much to drink.				
Forgot where you were or what you did after drinking too much.				
Got into trouble with the police after drinking too much.				
Had a serious argument or fight when drunk.				
Seriously hurt or injured yourself after drinking too much.				
Did something sexual that you later wished you hadn't.				
Doing things that made me feel embarrassed or humiliated.				

Q35 In the last 3 months, have you had any discussions with anyone about the negative things that can happen when someone drinks alcohol?

1. Yes
2. No (GO TO Q39)

Q36 What prompted those discussions? (Please tick all that apply) (RANDOMISE. ACCEPT MULTIPLES)

1. An incident involving drinking
2. Something bad happened as a result of drinking
3. My parents brought it up
4. My friend brought it up
5. Advertising
6. A newspaper or magazine article
7. Other, specify

Q37 Who were those discussions with? (Please tick all that apply) (RANDOMISE. ACCEPT MULTIPLES)

[AUTO TICK CODE 1 IF CODE 4 AT Q36, AND AUTO TICK CODE 2 IF CODE 3 AT Q36].

1. Friends
2. Parents
3. Teachers/ lecturers/ tutors