

## TABLE OF CONTENTS

<b>Executive summary</b>	<b>8</b>
1.1 Background and objectives	8
1.2 Research design	8
1.3 Impact of campaign on behaviours	9
1.4 Impact of campaign on knowledge	11
1.5 Impact of campaign on attitudes	12
1.6 Campaign awareness and reactions	13
1.7 Conclusions	15
<b>Research context</b>	<b>16</b>
2.1 Background	16
2.2 Research objectives	21
<b>Research design</b>	<b>22</b>
3.1 Methodology	22
3.2 Data analysis	27
<b>Impact of campaign on behaviour</b>	<b>30</b>
4.1 Drinking experience	30
4.2 Recent drinking behaviour	35
4.3 Obtaining alcohol	46
4.4 Drinking strategies	47
4.5 Frequency of negative experiences	54
4.6 Discussions about alcohol	60
<b>Knowledge</b>	<b>69</b>
<b>Attitudes</b>	<b>72</b>
6.1 Acceptability of drunkenness	72
6.2 Acknowledgement of consequences of drinking too much	74
6.3 Perceived susceptibility to and severity of impact of consequences of getting drunk	80
6.4 Parental attitudes	104
<b>Media and advertising awareness and Reactions</b>	<b>105</b>
7.1 Awareness of media and advertising about young people and alcohol	105
7.2 National Binge Drinking Campaign executions	116
7.3 Reported campaign impact	147
<b>Parent and child paired analyses</b>	<b>157</b>
<b>Conclusions</b>	<b>162</b>
<b>Appendix A: Youth questionnaire April 2009</b>	<b>165</b>
<b>Appendix B: Parent questionnaire April 2009</b>	<b>204</b>

<b>Appendix C: Standard drink conversion formulas</b>	<b>233</b>
<b>Appendix D: Summary of statistical terms</b>	<b>234</b>
<b>Appendix E: Sample profile</b>	<b>236</b>

## TABLE OF FIGURES

Figure 1. Teenage drinking incidence (15–17 year-olds)	31
Figure 2. Impression of own child's drinking experience (Parents)	31
Figure 3. Drinking history (15–17 year-olds)	32
Figure 4. Age at first drink (15–17 year-olds)	33
Figure 5. Age of first intoxication (15–17 year-olds)	34
Figure 6. Drinking frequency (15–25 year-olds who have ever consumed alcohol)	35
Figure 7. Drink types consumed (15–25 year-olds who drank alcohol in the last three months)	36
Figure 8. Number of standard drinks consumed on last occasion (15–25 year-olds who have ever had an alcoholic drink)	38
Figure 9. Number of standard drinks consumed on last occasion (15–25 year-olds who drank alcohol in last three months)	39
Figure 10. Standard drinks consumed on last occasion by whether or not observed by older person while completing the survey (15–17 year-olds)	40
Figure 11. Last occasion compared to usual consumption (15–25 year-olds who drank alcohol in last three months)	41
Figure 12. Risk level of last drinking occasion (15–25 year-olds who have ever had an alcoholic drink)	42
Figure 13. Risk level of last drinking occasion (15–25 year-olds that drank alcohol in last three months)	43
Figure 14. Highest risk level of last three months' drinking (15–25 year-olds who have ever had an alcoholic drink and parents)	44
Figure 15. Highest risk level of last three months' drinking (15–25 year-olds that drank alcohol in last three months and parents)	45
Figure 16. Sources through which alcohol was obtained on last drinking occasion (15–17 year-olds who drank alcohol in last three months)	46
Figure 17. Circumstances in which alcohol was provided to 13–17 year-old children (Parents)	47
Figure 18. Most commonly adopted drinking strategies (15–25 year-olds who drank alcohol in last three months)	48
Figure 19. Less commonly adopted drinking strategies (15–25 year-olds who drank alcohol in last three months)	48

Figure 20. Adoption of any drinking strategies (15–25 year-olds who drank alcohol in last three months)	50
Figure 21. Drinking to get drunk (15–25 year-olds who drank alcohol in last three months)	51
Figure 22. Most popular intended drinking strategies (15–25 year-olds who have consumed alcohol in last three months)	52
Figure 23. Less popular intended drinking strategies (15–25 year-olds who have consumed alcohol in last three months)	52
Figure 24. Intention to get drunk (15–25 year-olds who drank alcohol in last three months)	54
Figure 25. Negative consequences of others' drinking (1st, 2nd) (15–25 year-olds)	55
Figure 26. Negative consequences of others' drinking (3rd, 4th) (15–25 year-olds)	56
Figure 27. Negative consequences of others' drinking (5th) (15–25 year-olds)	56
Figure 28. Negative consequences of own drinking (1st, 2nd) (15–25 year-olds who drank alcohol in last three months)	57
Figure 29. Negative consequences of own drinking (3rd, 4th) (15–25 year-olds who drank alcohol in last three months)	58
Figure 30. Negative consequences of own drinking (5th, 6th) (15–25 year-olds who drank alcohol in last three months)	59
Figure 31. Negative consequences of own drinking (7th, 8th) (15–25 year-olds who drank alcohol in last three months)	60
Figure 32. Discussions about alcohol (Parents)	61
Figure 33. Discussions about alcohol (15–25 year-olds)	61
Figure 34. Discussion prompts (Parents who discussed alcohol)	62
Figure 35. Most common discussion prompts (15–25 year-olds who discussed alcohol)	63
Figure 36. Less common discussion prompts (15–25 year-olds who discussed alcohol)	63
Figure 37. Discussion participants (15–25 year-olds who discussed alcohol)	65
Figure 38. Discussion content (Parents who discussed alcohol)	66
Figure 39. Most common discussion topics (15–25 year-olds who discussed alcohol)	67
Figure 40. Less common discussion topics (15–25 year-olds who discussed alcohol)	67
Figure 41. Knowledge of the primary cause of hospitalisations (15–25 year-olds)	69

Figure 42. Knowledge of alcohol as a cause of hospitalisations (15–25 year-olds)	70
Figure 43. Estimated incidence of youth drunkenness (15–25 year-olds and parents)	71
Figure 44. Perceived acceptance of drunkenness by closest friends (15–25 year-olds who drank alcohol in last three months)	73
Figure 45. Perceived acceptance of drunkenness by people to which one is attracted (15–25 year-olds who drank alcohol in last three months)	73
Figure 46. Perceived acceptance of drunkenness by immediate family (15–25 year-olds who drank alcohol in last three months)	74
Figure 47. Consequences of drinking too much alcohol (1st, 2nd) (15–25 year-olds)	75
Figure 48. Consequences of drinking too much alcohol (3rd, 4th) (15–25 year-olds)	76
Figure 49. Consequences of drinking too much alcohol (5th, 6th) (15–25 year-olds)	77
Figure 50. Consequences of drinking too much alcohol (7th, 8th) (15–25 year-olds)	78
Figure 51. Consequences of drinking too much alcohol (9th, 10th) (15–25 year-olds)	79
Figure 52. Perceived susceptibility to and severity of impact of consequences of getting drunk (1st, 2nd) (15–25 year-olds)	81
Figure 53. Perceived susceptibility to and severity of impact of consequences of getting drunk (3rd, 4th) (15–25 year-olds)	82
Figure 54. Perceived susceptibility to and severity of impact of consequences of getting drunk (5th, 6th) (15–25 year-olds)	83
Figure 55. Perceived susceptibility to and severity of impact of consequences of getting drunk (7th, 8th) (15–25 year-olds)	84
Figure 56. Perceived susceptibility to and severity of impact of consequences of getting drunk (9th, 10th) (15–25 year-olds)	85
Figure 57. Perceived susceptibility to and severity of impact of consequences of getting drunk (11th, 12th) (15–25 year-olds)	86
Figure 58. Perceived susceptibility to and severity of impact of consequences of getting drunk (13th) (15–25 year-olds)	87
Figure 59. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (1st) (15–25 year-olds)	88
Figure 60. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (2nd) (15–25 year-olds)	89
Figure 61. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (3rd) (15–25 year-olds)	90

Figure 62. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (4th) (15–25 year-olds)	91
Figure 63. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (5th) (15–25 year-olds)	92
Figure 64. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (6th) (15–25 year-olds)	93
Figure 65. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (7th) (15–25 year-olds)	94
Figure 66. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (8th) (15–25 year-olds)	95
Figure 67. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (9th) (15–25 year-olds)	96
Figure 68. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (10th) (15–25 year-olds)	97
Figure 69. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (11th) (15–25 year-olds)	98
Figure 70. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (12th) (15–25 year-olds)	99
Figure 71. Perceived susceptibility to and severity of impact of consequences of getting drunk by risk level (13th) (15–25 year-olds)	100
Figure 72. Child's susceptibility to consequences of getting drunk (1st-4th) (Parents)	101
Figure 73. Child's susceptibility to consequences of getting drunk (5th-8th) (Parents)	102
Figure 74. Child's susceptibility to consequences of getting drunk (9th-12th) (Parents)	103
Figure 75. Attitudes towards own child's drinking (Parents)	104
Figure 76. Media and advertising awareness (15–25 year-olds and parents)	105
Figure 77. Media channels (15–25 year-olds and parents)	107
Figure 78. Advertising channels (15–25 year-olds and parents)	108
Figure 79. Most commonly recalled media messages (15–25 year-olds and parents who encountered media about young people and alcohol)	110
Figure 80. Less commonly recalled media messages (15–25 year-olds and parents who encountered media about young people and alcohol)	111

Figure 81. Most commonly recalled advertising messages (15–25 year-olds and parents who encountered advertising about young people and alcohol)	113
Figure 82. Less commonly recalled advertising messages (15–25 year-olds and parents who encountered advertising about young people and alcohol)	115
Figure 83. 'Party bushes/Pedestrian accident' stills	117
Figure 84. Reach and frequency of 'Party bushes/Pedestrian accident' TVC (15–25 year-olds and parents)	118
Figure 85. Impressions of 'Party bushes/Pedestrian accident' TVC (15–25 year-olds and parents)	119
Figure 86. Perceived relevance of 'Party bushes/Pedestrian accident' TVC (15–25 year-olds)	120
Figure 87. Perceived relevance of 'Party bushes/Pedestrian accident' TVC by risk level (15–25 year-olds)	121
Figure 88. 'Party bushes/Pedestrian accident' TVC channel (15–25 year-olds and parents)	122
Figure 89. 'Coffee table/Pub fight' stills	124
Figure 90. Reach and frequency of 'Coffee table/Pub fight' TVC (15–25 year-olds and parents)	125
Figure 91. Impressions of 'Coffee table/Pub fight' TVC (15–25 year-olds and parents)	126
Figure 92. Perceived relevance of 'Coffee table/Pub fight' TVC (15–25 year-olds)	127
Figure 93. Perceived relevance of 'Coffee table/Pub fight' TVC by risk level (15–25 year-olds)	128
Figure 94. 'Coffee table/Pub fight' TVC channel (15–25 year-olds and parents)	129
Figure 95. Net reach of all TVCs (15–25 year-olds and parents)	130
Figure 96. Reach of 'Arrest' and 'Emergency room' radio ads (15–25 year-olds and parents)	132
Figure 97. Net reach of all radio ads (15–25 year-olds and parents)	133
Figure 98. Print advertisement executions (vertical and horizontal)	136
Figure 99. Reach of 'Pedestrian accident/Party bushes' print ads (15–25 year-olds and parents)	137
Figure 100. 'Pedestrian accident' print ad channel (15–25 year-olds and parents)	138
Figure 101. 'Party Bushes' print ad channel (15–25 year-olds and parents)	139

Figure 102. 'Pub Fight' print ad channel (15–25 year-olds and parents)	140
Figure 103. 'Coffee table' print ad channel (15–25 year-olds and parents)	141
Figure 104. Net reach of print ads (15–25 year-olds and parents)	142
Figure 105. Online banner stills (horizontal and square)	143
Figure 106. Reach of online banner ads (15–25 year-olds and parents)	144
Figure 107. Parents' brochure	145
Figure 108. Reach of parents' brochure	146
Figure 109. Net reach of all campaign elements (15–25 year-olds and parents)	146
Figure 110. Whole of campaign impact on attitudes (15–25 year-olds and parents)	148
Figure 111. Whole of campaign impact on attitudes (15–25 year-olds)	150
Figure 112. Whole of campaign impact on consideration of own drinking (15–25 year-olds and parents)	151
Figure 113. Whole of campaign impact on consumption (15–25 year-olds and parents)	152
Figure 114. Whole of campaign impact on discussions with friends (15–25 year-olds)	153
Figure 115. Whole of campaign impact on discussions with parents (15–25 year-olds)	154
Figure 116. Most common campaign impacts on behaviour (Parents)	155
Figure 117. Less common campaign impacts on behaviour (Parents)	156
Figure 118. Risk level of last three months' alcohol consumption (Paired parents and paired 15–17 year-olds)	157
Figure 119. Paired children's drinking experience (Paired 15–17 year-olds)	159
Figure 120. Paired parents' assessment of children's drinking experience (Paired parents)	160
Figure 121. Parental accuracy regarding own child's drinking (paired parents and paired 15–17 year-olds)	161
Figure 122. Gender unweighted distribution (15–25 year-olds and parents)	236
Figure 123. Age unweighted distribution (15–25 year-olds)	237
Figure 124. Age unweighted distribution (Parents)	238
Figure 125. Location unweighted distribution (15–25 year-olds and parents)	238

Figure 126. ARIA + Categories (15–25 year-olds and parents)	239
Figure 127. Identification as Aboriginal or Torres Strait Islander (15–25 year-olds)	240
Figure 128. Language other than English spoken at home (15–25 year-olds)	241
Figure 129. Household structure (Parents)	241
Figure 130. Number of children aged 13–17 (Parents)	242
Figure 131. Household structure (15–25 year-olds)	243
Figure 132. Pre-tax household income (Parents)	244
Figure 133. Highest educational qualification completed (15–25 year-olds and parents)	245
Figure 134. Studying (15–25 year-olds)	246
Figure 135. Study location (15–25 year-olds)	247
Figure 136. Employment (15–25 year-olds and parents)	248
Figure 137. Observer present while responding (15–25 year-olds)	249